

SAFETY DATA SHEET

SANITIZING TABLETS Item code: **101233**

SECTION 1: Identificati	on of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	SANITIZING TABLETS (1.08g)	
1.2. Relevant identified	uses of the substance or mixture and uses advised against	
Identified uses	Disinfectant.	
1.3. Details of the supp	er of the safety data sheet	
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB	

Tel: +44 (0) 1295 251721 FAX: +44 (0)1295 269561 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that the product is registered with the National Poisons Information Service.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification		
Physical hazards	Not Classified	
Health hazards	Eye Irrit. 2 - H319 STOT SE 3 - H335	
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

2.2. Label elements

Pictogram



Signal word	Warning
Hazard statements	H319 Causes serious eye irritation. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P402 Store in a dry place. P405 Store locked up. P501 Dispose of contents/container in accordance with local regulations.
Supplemental label information	EUH031 Contact with acids liberates toxic gas. EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).
Contains	TROCLOSENE SODIUM
Supplementary precautionary statements	P264 Wash hands thoroughly after handling. P280 Wear eye protection. P391 Collect spillage.

2.3. Other hazards

3.2. Mixtures		
TROCLOSENE SODIUM		30-60%
CAS number: 2893-78-9	EC number: 220-767-7	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Ox. Sol. 2 - H272		
Acute Tox. 4 - H302		
Eye Irrit. 2 - H319		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
ADIPIC ACID		10-30%
CAS number: 124-04-9	EC number: 204-673-3	
Classification		
Eye Irrit. 2 - H319		

SODIUM CARBONATE	1-5%
CAS number: 497-19-8	EC number: 207-838-8
Classification Eye Irrit. 2 - H319	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
Ingestion	Do not induce vomiting. Remove affected person from source of contamination. Give plenty of water to drink. Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use foam, carbon dioxide, dry powder or water fog to extinguish.

5.2. Special hazards arising from the substance or mixture

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
Protective actions during firefighting	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Contain and collect extinguishing water.
5.3. Advice for firefighters	
Specific hazards	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Thermal decomposition or combustion products may include the following substances: Oxides of the following substances: Carbon. Nitrogen. Chlorine. Hydrogen chloride (HCI). Toxic gases or vapours. Descomposes above 250°C with release of chlorine and other toxic fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Wear suitable
	protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or
	apron, as appropriate. Ensure suitable respiratory protection is worn during removal of
	spillages in confined areas. Avoid inhalation of dust and contact with skin and eyes. Wash
	thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions	Not considered to be a significant hazard due to the small quantities used. Collect and	
	dispose of spillage as indicated in Section 13.	
6.3. Methods and material for	containment and cleaning up	

Methods for cleaning upCollect and place in suitable waste disposal containers and seal securely. Label the
containers containing waste and contaminated materials and remove from the area as soon
as possible. Avoid generation and spreading of dust. Flush contaminated area with plenty of
water. Containers with collected spillage must be properly labelled with correct contents and
hazard symbol. Do not close drums containing wet or damp material.

6.4. Reference to other sections

7.1. Precautions for safe handling

Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Do not handle broken packages without
	protective equipment. Keep away from heat, sparks and open flame. Good personal hygiene
	procedures should be implemented. Avoid inhalation of vapours/spray and contact with skin
	and eyes. Provide adequate ventilation. Container must be kept tightly closed when not in
	use. Follow instructions and ensure correct dilution of this product before use. Do not eat,
	drink or smoke when using this product. Protect from freezing and direct sunlight.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in
	the original container.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection
--

8.1. Control parameters

Occupational exposure limits

Short-term exposure limit (15-minute): WEL, (as chlorine) 0.5 ppm 1.5 mg/m³ fume Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4.0 mg/m³ respirable dust

WEL = Workplace Exposure Limit

DNEL

Human exposure based on the active ingredient troclosene sodium Consumer - Dermal; Long term systemic effects: 1.15 mg/kg/day Consumer - Inhalation; Long term systemic effects: 1.99 mg/m³ Consumer - Oral; Long term systemic effects: 1.15 mg/kg/day

ADIPIC ACID (CAS: 124-04-9)

DNEL	Industry - Inhalation; Short term : 5 mg/m3
PNEC	- Fresh water; Short term 0.126 mg/l - Marine water; Short term 0.0126 mg/l - Sediment; Short term 0.484 mg/l - Soil; Short term 0.0228 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.	
Other skin and body protection	Avoid contact with skin. Wear suitable coveralls to prevent exposure to the skin.	
Hygiene measures	Warn cleaning personnel of any hazardous properties of the product. Do not eat, drink or smoke when using this product. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Provide eyewash station. Persons susceptible to allergic reactions should not handle this product. Good personal hygiene procedures should be implemented.	
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.	
Environmental exposure controls	Do not allow undiluted product to enter drains.	
SECTION 9: Physical and C	hemical Properties	

9.1. Information on basic physical and chemical properties

5.1. mornauon on basic physical and chemical properties			
Appearance	White flat tablet		
Colour	White/off-white.		
Odour	Characteristic. bleach		
рН	pH (diluted solution): 4-6 @ 1%		
Flash point	Not applicable.		
Solubility(ies)	Soluble in water.		
Oxidising properties	Does not meet the criteria for classification as oxidising.		
Comments	92/69/EEC - A.17		
9.2. Other information			
o	Not determined.		
Other information	Not determined.		
Other Information SECTION 10: Stability and rea			
SECTION 10: Stability and rea			
SECTION 10: Stability and rea	activity		
SECTION 10: Stability and rea 10.1. Reactivity Reactivity	activity		
SECTION 10: Stability and rea 10.1. Reactivity Reactivity 10.2. Chemical stability	activity See Section 10.3 (Possibility of hazardous reactions) for further information. Stable at normal ambient temperatures and when used as recommended.		

10.4. Conditions to avoid Conditions to avoid	Avoid the following conditions: Water, moisture. Avoid heat, flames and other sources of		
	ignition. Avoid exposure to high temperatures or direct sunlight.		
10.5. Incompatible materials			
Materials to avoid	Flammable/combustible materials. Organic materials, oils, grease, sawdust, reducing agents, nitrogen-containing compounds (NaDCC may generate nitrogen trichloride which is explosive), oxidizing substances, acids and alkalis, damp or slightly wet conditions.		
10.6. Hazardous decompositi	on products		
Hazardous decomposition products	Heating may generate the following products: Carbon monoxide (CO). Oxides of nitrogen. Hydrogen chloride (HCI). Isocyanates. Chlorine.		
SECTION 11: Toxicological in	formation		
11.1. Information on toxicolog	ical effects		
Acute toxicity - oral ATE oral (mg/kg)	3,873.75		
Inhalation	May cause respiratory system irritation.		
Ingestion	May be harmful if swallowed.		
Skin contact	Skin irritation should not occur when used as recommended.		
Eye contact	Irritating to eyes.		
Route of entry	Inhalation Ingestion. Skin and/or eye contact		
SECTION 12: Ecological Info	mation		
SECTION 12: Ecological Info	mation The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.		
	The product contains a substance which is toxic to aquatic organisms and which may cause		
Ecotoxicity	The product contains a substance which is toxic to aquatic organisms and which may cause		
Ecotoxicity <u>12.1. Toxicity</u>	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.		
Ecotoxicity <u>12.1. Toxicity</u> Acute toxicity - fish Acute toxicity - aquatic	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. LC ₅₀ , 96 hours: 0.37-0.47 mg/l, Fish EC ₅₀ , 48 hours: < 1 mg NaDCC mg/l, Daphnia magna		
Ecotoxicity <u>12.1. Toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates <u>12.2. Persistence and degrad</u>	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. LC ₅₀ , 96 hours: 0.37-0.47 mg/l, Fish EC ₅₀ , 48 hours: < 1 mg NaDCC mg/l, Daphnia magna		
Ecotoxicity <u>12.1. Toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates <u>12.2. Persistence and degrad</u>	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. LC ₅₀ , 96 hours: 0.37-0.47 mg/l, Fish EC ₅₀ , 48 hours: < 1 mg NaDCC mg/l, Daphnia magna ability The product is expected to be biodegradable.		
Ecotoxicity <u>12.1. Toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates <u>12.2. Persistence and degrad</u> Persistence and degradability	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. LC ₅₀ , 96 hours: 0.37-0.47 mg/l, Fish EC ₅₀ , 48 hours: < 1 mg NaDCC mg/l, Daphnia magna ability The product is expected to be biodegradable.		
Ecotoxicity <u>12.1. Toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates <u>12.2. Persistence and degrad</u> Persistence and degradability <u>12.3. Bioaccumulative potenti</u>	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. LC ₅₀ , 96 hours: 0.37-0.47 mg/l, Fish EC ₅₀ , 48 hours: < 1 mg NaDCC mg/l, Daphnia magna ability The product is expected to be biodegradable. a		
Ecotoxicity <u>12.1. Toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates <u>12.2. Persistence and degrad</u> Persistence and degradability <u>12.3. Bioaccumulative potential</u>	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. LC ₅₀ , 96 hours: 0.37-0.47 mg/l, Fish EC ₅₀ , 48 hours: < 1 mg NaDCC mg/l, Daphnia magna ability The product is expected to be biodegradable. a		
Ecotoxicity <u>12.1. Toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates <u>12.2. Persistence and degrad</u> Persistence and degradability <u>12.3. Bioaccumulative potential</u> Bioaccumulative potential <u>12.4. Mobility in soil</u>	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. LC ₅₀ , 96 hours: 0.37-0.47 mg/l, Fish EC ₅₀ , 48 hours: < 1 mg NaDCC mg/l, Daphnia magna ability The product is expected to be biodegradable. al No data available on bioaccumulation. The product is soluble in water.		
Ecotoxicity <u>12.1. Toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates <u>12.2. Persistence and degrad</u> Persistence and degradability <u>12.3. Bioaccumulative potential</u> Bioaccumulative potential <u>12.4. Mobility in soil</u> Mobility	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. LC ₅₀ , 96 hours: 0.37-0.47 mg/l, Fish EC ₅₀ , 48 hours: < 1 mg NaDCC mg/l, Daphnia magna ability The product is expected to be biodegradable. al No data available on bioaccumulation. The product is soluble in water.		
Ecotoxicity <u>12.1. Toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates <u>12.2. Persistence and degrad</u> Persistence and degradability <u>12.3. Bioaccumulative potential</u> Bioaccumulative potential <u>12.4. Mobility in soil</u> Mobility <u>12.5. Results of PBT and vPv</u> Results of PBT and vPvB	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. LC ₅₀ , 96 hours: 0.37-0.47 mg/l, Fish EC ₅₀ , 48 hours: < 1 mg NaDCC mg/l, Daphnia magna ability The product is expected to be biodegradable. a No data available on bioaccumulation. The product is soluble in water. B assessment		
Ecotoxicity <u>12.1. Toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates <u>12.2. Persistence and degrad</u> Persistence and degradability <u>12.3. Bioaccumulative potential</u> Bioaccumulative potential <u>12.4. Mobility in soil</u> Mobility <u>12.5. Results of PBT and vPvB</u> assessment	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. LC ₅₀ , 96 hours: 0.37-0.47 mg/l, Fish EC ₅₀ , 48 hours: < 1 mg NaDCC mg/l, Daphnia magna ability The product is expected to be biodegradable. a No data available on bioaccumulation. The product is soluble in water. B assessment		

SECTION 13: Disposal considerations

13.1. Waste treatment method	<u>s</u>		
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.		
SECTION 14: Transport inform	nation		
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.		
Road transport notes	Refer to the Dangerous Goods List for information on any Special Provisions SP 135. Refer to the Dangerous Goods List for information on any Special Provisions SP 375.		
Sea transport notes	Refer to the Dangerous Goods List for information on any Special Provisions General Provision 2.10.2.7.		
Air transport notes	Refer to the Dangerous Goods List for information on any Special Provisions A 28. Refer to the Dangerous Goods List for information on any Special Provisions A 197.		
14.1. UN number			
UN No. (ADR/RID)	3077		
UN No. (IMDG)	3077		
UN No. (ICAO)	3077		
UN No. (ADN)	3077		
14.2. UN proper shipping name	8		
Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
Proper shipping name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
14.3. Transport hazard class(es)			
ADR/RID class	9		
ADR/RID classification code	M7		
ADR/RID label	9		
IMDG class	9		
ICAO class/division	9		
ADN class	9		
Transport labels			
Â,			

14.4. Packing group

<u>9</u>/

ADR/RID packing group	III
IMDG packing group	Ш
ADN packing group	Ш
ICAO packing group	ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-A, S-F
ADR transport category	3
Emergency Action Code	2Z
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010.
Guidance	Workplace Exposure Limits EH40. Approved Classification and Labelling Guide (Sixth edition) L131. Guidance on the compilation of safety data sheets. Version 3, August 2015

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information			
Revision date	29.8.17		
SDS number	F2		

Hazard statements in full	H272 May intensify fire; oxidiser.

- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.