

SAFETY DATA SHEET KLAREMONT EVOLUTION X2 BATH & WASHROOM CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name

name KLAREMONT EVOLUTION X2 BATH & WASHROOM CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier

Klaremont Ltd. 67 Weir Road London SW19 8UG UK Tel: 0330 123 9191 Fax: 020 8971 2005 Email: sales@klaremont.com

Manufacturer	
--------------	--

Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: 01295 251721 Fax: 01295 269561 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone	Poisons Information Specialist
	National Poisons Information Service
	Birmingham
	B18 7QH
	Tel: 0121 507 5122

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification		
Physical hazards	Not Classified	
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318 Elicitation - EUH208 STOT SE 3 - H335	
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	
Classification (67/548/EEC or 1999/45/EC)	Xn;R22. Xi;R37/38,R41. R52/53.	
2.2. Label elements		

Pictogram

LE DE	<u>(!)</u>	¥_

Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains d-LIMONENE, CITRAL. May produce an allergic reaction.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves. P280 Wear eye protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P312 Call a POISON CENTER/doctor if you feel unwell. P391 Collect spillage. P501 Dispose of contents/container in accordance with national regulations.
Contains	CITRIC ACID, FATTY ALCOHOL ETHOXYLATE, BENZALKONIUM CHLORIDE
Supplementary precautionary statements	 P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

CITRIC ACID		10-3	30%
CAS number: 77-92-9	EC number: 201-069-1	REACH registration number: 01211945702642XXXX	
Classification	Classificatio	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi;R36/37/3	Xi;R36/37/38.	
Eye Irrit. 2 - H319			
STOT SE 3 - H335			
STOT SE 3 - H335			

FATTY ALCOHOL ETHOXYLATE CAS number: 160901-19-9		10-30%
Classification Eye Dam. 1 - H318 Acute Tox. 4 - H302	Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R41.	
BENZALKONIUM CHLORIDE		5-10%
CAS number: 68424-85-1		
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification Met. Corr. 1 - H290 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xn;R21/22. C;R34. N;R50.	
d-LIMONENE		<1%
CAS number: 5989-27-5	EC number: 227-813-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) R10 R43 Xi;R38 N;R50/53	
CITRAL		<1%
CAS number: 5392-40-5	EC number: 226-394-6	
Classification Skin Irrit. 2 - H315 Skin Sens. 1 - H317	Classification (67/548/EEC or 1999/45/EC) R43 Xi;R38	

<1%

KLAREMONT EVOLUTION X2 BATH & WASHROOM CLEANER

BRONOPOL (INN)

CAS number: 52-51-7

EC number: 200-143-0

M factor (Acute) = 10

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 STOT SE 3 - H335 Aquatic Acute 1 - H400

Classification (67/548/EEC or 1999/45/EC) Xn;R21/22 Xi;R37/38,R41 N;R50

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures		
4.1. Description of first aid measures		
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.	
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.	
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.	

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Avoid spilling. Avoid contact with skin and eyes.
-------------------	---

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

Storage class Chemical storage.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Ingredient comments

WEL = Workplace Exposure Limits

CITRIC ACID (CAS: 77-92-9)

Ingredient com	ments WEL = Workplace Exposure Limits
8.2. Exposure controls Protective equipment	
Appropriate engineering controls	Not relevant.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
SECTION 9: Physical and C	Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Blue.
Odour	Characteristic.
pН	0-2
Initial boiling point and range	100°C @ 760 mm Hg
Relative density	1.086 @ 20°C

9.2. Other information

SECTION 10: Stability and re	activity	
10.1. Reactivity		
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous reactions		
10.4. Conditions to avoid		
Conditions to avoid	Avoid excessive heat for prolonged periods of time.	
10.5. Incompatible materials		
10.6. Hazardous decomposition products		
Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicolog	ical effects	
Acute toxicity - oral		
ATE oral (mg/kg)	2,500.0	
Acute toxicity - dermal	22,000,0	
ATE dermal (mg/kg)	22,000.0	
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	May cause sensitisation by skin contact.	
Eye contact	Risk of serious damage to eyes.	
SECTION 12: Ecological Information		
Ecotoxicity	Not regarded as dangerous for the environment.	
12.1. Toxicity		
12.2. Persistence and degrad		
12.3. Bioaccumulative potenti		
12.4. Mobility in soil		
12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
SECTION 14: Transport information		
14.1. UN number		
UN No. (ADR/RID)	1760	
UN No. (IMDG)	1760	

UN No. (ICAO)	1760	
UN No. (ADN)	1760	
14.2. UN proper shipping name	e	
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, N.O.S. CONTAINS BENZALKONIUM CHLORIDE	
Proper shipping name (IMDG)	CORROSIVE LIQUID, N.O.S.	
Proper shipping name (ICAO)	CORROSIVE LIQUID, N.O.S.	
Proper shipping name (ADN)	CORROSIVE LIQUID, N.O.S.	
14.3. Transport hazard class(e	<u>s)</u>	
ADR/RID class	8	
ADR/RID classification code	C9	
ADR/RID label	8	
IMDG class	8	
ICAO class/division	8	
ADN class	8	
Transport labels		
B		
14.4. Packing group		
ADR/RID packing group	III	
IMDG packing group	III	
ADN packing group	III	
ICAO packing group	III	
14.5. Environmental hazards		
Environmentally hazardous su	bstance/marine pollutant	
No.		
14.6. Special precautions for user		
EmS	F-A, S-B	
ADR transport category	3	
Emergency Action Code	2X	
Hazard Identification Number (ADR/RID)	80	
Tunnel restriction code	(E)	
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228.
	Safety Data Sheets for Substances and Preparations
	Approved Classification and Labelling Guide (Sixth edition) L131.

15.2. Chemical safety assessment SECTION 16: Other information

Revision date	29/09/2015
Revision	6
Supersedes date	28/09/2015
SDS number	X2N2
Risk phrases in full	 R10 Flammable. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R36/37/38 Irritating to eyes, respiratory system and skin. R37/38 Irritating to respiratory system and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R43 May cause sensitisation by skin contact. R50 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Hazard statements in full	 H226 Flammable liquid and vapour. H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains d-LIMONENE, CITRAL. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.